

Package: JFM (via r-universe)

November 2, 2024

Encoding UTF-8

Type Package

Title Rock Mass Structural Analysis from 3D Mesh of Point Cloud

Version 1.0

Date 2022-03-10

Description Provides functions to extract joint planes from 3D triangular mesh derived from point cloud and makes data available for structural analysis.

License GPL

Imports Rcpp (>= 0.12.18), MASS (>= 7.3.50), rgl (>= 0.99.16), RockFab (>= 1.2), Rvcg (>= 0.17), randomcoloR (>= 1.1.0)

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.1.2

NeedsCompilation yes

Author Riccardo Campana [aut, cre], Jeffrey R. Webber [ctb]

Maintainer Riccardo Campana <riccarl@hotmail.it>

Date/Publication 2022-03-28 08:00:02 UTC

Repository <https://riccarl.r-universe.dev>

RemoteUrl <https://github.com/cran/JFM>

RemoteRef HEAD

RemoteSha 8255f003f394fe033a610cb89d1abfa98dacaf4

Contents

JFM-package	2
build_3d_mesh	2
calculate_joints	3
calculate_joints_area	4
compute_facets_normal	5
compute_plane_area_rcpp	5

compute_plane_normal	6
compute_triangle_area_rcpp	7
findNeighbourFacets	8
find_neighbours_rcpp	9
find_triangles_rcpp	9
least_square_plane_rcpp	10
plotrand_col_planes	11
plot_joint_great_circles	11
plot_joint_poles	12
plot_maxima2mesh	13
rcpparma_dotproduct	14
rcpp_crossProd	14
Rcpp_wildfire_search	15

Index	16
--------------	-----------

JFM-package	<i>JFM: A package for structural analysis.</i>
-------------	--

Description

Provides functions to extract joint planes from 3D triangular mesh and makes data available for structural analysis. Below compute_plane_normal function description an example test over all function is done. In your package directory you will find in extdata dir an example of point_cloud.txt file and in test folder two R scripts a test.R file to process point_cloud.txt file and a JFM_workflow.R generic workflow script.

Author(s)

Riccardo Campana <riccarl@hotmail.it>

build_3d_mesh	<i>build_3d_mesh</i>
---------------	----------------------

Description

This function reads a XYZRGB text file, requires a search radius in meters and an output file name to save the resulting mesh. for data format see file in package extdata folder

Usage

```
build_3d_mesh(path2myXYZRGBtxt, search_radius, file_name)
```

Arguments

path2myXYZRGBtxt Path to the XYZRGB.txt input file
 search_radius Path to the XYZRGB.txt input file
 file_name name of the output .ply mesh file

Value

A 3D triangular mesh

Examples

```
## Not run: path2myXYZRGBtxt<-system.file("extdata", "test.txt", package = "JFM")

file_name<- "test"

mesh3d<-build_3d_mesh(path2myXYZRGBtxt,0.5,file_name)
## End(Not run)
```

calculate_joints *calculate_joints*

Description

This function calculates joint orientation with the least square method selecting vertexes of each facet plane

Usage

```
calculate_joints(vertici_tr, indici_tri, normal_from_wild)
```

Arguments

vertici_tr list of facets vertexes coordinates ("vb property of mesh3d object")
 indici_tri list of facets indexes ("it property of mesh3d object")
 normal_from_wild matrix of data resulting from wildfire search

Value

a matrix of least square plane for each joint

Examples

```
## Not run:  
  
mesh3d<-build_3d_mesh(path2myXYZRGBtxt,0.5,file_name)  
  
normali_recalc<-Rcpp_wildfire_search(7,normals[,1:3],neighbours)  
  
joint_list_Cpp<-calculate_joints(mesh3d,normali_recalc)  
## End(Not run)
```

calculate_joints_area *calculate_joints_area*

Description

This function calculates the area of each cluster of facets belonging to the same plane

Usage

```
calculate_joints_area(normal_from_wild)
```

Arguments

```
normal_from_wild  
matrix of data resulting from wildfire search
```

Value

a list of the area of each plane

Examples

```
## Not run:  
  
normali_recalc<-Rcpp_wildfire_search(7,normals[,1:3],neighbours)  
  
calculate_joints(mesh3d,normali_recalc)  
  
## End(Not run)
```

compute_facets_normal *compute_facets_normal*

Description

This function returns a matrix of the three component vector of the normal of each facet.

Usage

```
compute_facets_normal(vertici_tr, indici_tri)
```

Arguments

vertici_tr list of facets vertexes coordinates ("vb property of mesh3d object")
indici_tri list of facets indexes ("it property of mesh3d object")

Value

matrix of the three component of the normal vector and area of each face

Examples

```
## Not run: indici_tri<-t(mesh3d[['it']])

vertici_tr<-t(mesh3d[['vb']])

normals<-compute_facets_normal(vertici_tr,indici_tri)
## End(Not run)
```

compute_plane_area_rcpp

returns the sum of the area of facets belonging to the same plane

Description

returns the sum of the area of facets belonging to the same plane

Arguments

tr_area a matrix with the first column facet area and second column the ID of plane it
 belows
id_fam_no_zero the list of planes ID

Value

the sum of the area of facets belonging to the same plane given tr_area and id_fam_no_zero

compute_plane_normal *returns the least square plane from the vertexes of facets of the same plane (nested in calculate_joints function)*

Description

returns the least square plane from the vertexes of facets of the same plane (nested in calculate_joints function)

Usage

```
compute_plane_normal(it_id_plane_points, vb_facets, id_fam_no_zero)
```

Arguments

it_id_plane_points the "it" property of mesh object binded with ID column of wildfire search
 vb_facets the vb property of mesh object (vertexes coordinates)
 id_fam_no_zero the list of planes ID

Value

returns the least square plane from the vertexes of facets of the same plane given it_id_plane_points the list of planes ID id_fam_no_zero, the matrix of vertexes coordinates vb_facets

Examples

```
#This is an example of workflow script in test folder

path2myXYZRGBtxt<-system.file("test", "test.txt", package = "JFM")

file_name<- "test"

mesh3d<-build_3d_mesh(path2myXYZRGBtxt,0.5,paste0(tempdir(),"/",file_name))

vertici_tr<-t(mesh3d[["vb"]])

indici_tri<-t(mesh3d[['it']])

neighbours<-find_neighbours_rcpp(indici_tri)

### find neighbours of each triangle facet using a Rcpp function

neighbours<-find_neighbours_rcpp(indici_tri)

### or a hybrid R-Rcpp function

#### core number to dedicate to computational processes; check with
```

```
##### detectCores() function how many cores your pc owns
require("parallel")

detectCores()

### use only 2 cores
no_cores <- 2

neighbours<-findNeighbourFacets(no_cores,indici_tri)

### compute normal of each triangle facet
normals<-compute_facets_normal(vertici_tr,indici_tri)

### apply wildfire search
normali_recalc<-Rcpp_wildfire_search(7,normals[,1:3],neighbours)

### plot search result and if not satisfied repeat search increasing/decreasing tolerance angle
plotrand_col_planes(mesh3d,normali_recalc)

### calculate least square plane for each group of facets
joint_list_Cpp<-calculate_joints(vertici_tr,indici_tri,normali_recalc)

### calculate area for each group of facets
val_area<-calculate_joints_area(normali_recalc)

### extract pole maxima setting your minimum contour density
### and area to filter data, plot and save them
poles_maxima<-plot_joint_poles(normali_recalc,joint_list_Cpp,
                               val_area,paste0(tempdir(),"/",file_name),0.3,1)

##### plot and save great circle of pole maxima
azi_dip_maxima<-plot_joint_great_circles(poles_maxima, paste0(tempdir(),"/",file_name))

### plot colors of pole maxima onto mesh facets
plot_maxima2mesh(mesh3d,azi_dip_maxima,normali_recalc,10)

remove()
```

compute_triangle_area_rcpp

returns the area of a mesh facet

Description

returns the area of a mesh facet

Arguments

tr_vertex_coords
A 3x3 matrix of the coordinates of facet vertexes

findNeighbourFacets *findNeighbourFacets*

Description

This function finds the IDs of each mesh facet It requires number of cores of your pc to use and list of facets indexes corresponding to the "it" property of mesh3d object.

Usage

```
findNeighbourFacets(no_cores, indici_tri)
```

Arguments

no_cores number of core to use in search computation
indici_tri list of facets indexes ("it property of mesh3d object")

Value

a matrix of indexes of facets neighbours of target face saved on working dir

Examples

```
## Not run: indici_tri<-t(mesh3d[['it']])

require("parallel")

detectCores()

no_cores <- detectCores() - 4 ### keep free some cores

neighbours<-findNeighbourFacets(no_cores,indici_tri)
## End(Not run)
```

`find_neighbours_rcpp` *This function finds the rows IDs of neighbours of each mesh facet. It requires a list of facets indexes corresponding to the "it" property of mesh3d object*

Description

This function finds the rows IDs of neighbours of each mesh facet. It requires a list of facets indexes corresponding to the "it" property of mesh3d object

Usage

```
find_neighbours_rcpp(indici_tr)
```

Arguments

`indici_tr` matrix of facets ID the "it" property of a mesh3D

Value

this function returns the rows IDs of neighbours of each mesh facet given a list of facets indexes `indici_tri`

Examples

```
indici_tri<-matrix(data = c(1, 2, 3 ,5, 6,
3, 2, 3, 5,7, 8 ,1),
nrow = 4,ncol = 3, byrow = TRUE)
find_neighbours_rcpp(indici_tri)
```

`find_triangles_rcpp` *returns the row indexes of the neighbour facets of a target facet (nested in findNeighbourFacets R function)*

Description

returns the row indexes of the neighbour facets of a target facet (nested in findNeighbourFacets R function)

Usage

```
find_triangles_rcpp(indici_tr, r)
```

Arguments

`indici_tr` matrix of facets ID the "it" property of a mesh3D
`r` index of the row of the target facet

Value

returns the row indexes of the neighbour facets of the facet at r row of `indici_tr` facet indexes matrix

Examples

```
indici_tri<-matrix(data = c(1, 2, 3 ,5, 6,
3, 2, 3, 5,7, 8 ,1),
nrow = 4,ncol = 3, byrow = TRUE)
row_index<-1
find_triangles_rcpp (indici_tri,row_index)
```

```
least_square_plane_rcpp
```

returns the coefficients of the least square plane and the relative mean square error

Description

returns the coefficients of the least square plane and the relative mean square error

Usage

```
least_square_plane_rcpp(PointsXYZ)
```

Arguments

`PointsXYZ` matrix of coordinates of point

Value

returns the coefficients of the least square plane and the relative mean square error of a set of 3d points `PointsXYZ`

Examples

```
list_xyz<-matrix(data = c(-10.0, -10.0, -15.0 ,10.0, -10.0,
-5.0, -10.0, 10.0, 5.0, 10.0, 10.0 ,15.0),
nrow = 4,ncol = 3, byrow = TRUE)
least_square_plane_rcpp(list_xyz)
```

plotrand_col_planes *plotrand_col_planes*

Description

This function returns a 3d plot of mesh where facets of the same plane are of same color.

Usage

```
plotrand_col_planes(mesh_tr, normal_from_wild)
```

Arguments

mesh_tr an object of type mesh3d
normal_from_wild the output matrix resulting from wildfire search

Value

a 3d plot of mesh with facets of the same plane

Examples

```
## Not run:  
  
mesh3d<-build_3d_mesh(path2myXYZRGBtxt,0.5,file_name)  
  
normali_recalc<-Rcpp_wildfire_search(7,normals[,1:3],neighbours)  
  
plotrand_col_planes(mesh3d,normali_recalc)  
## End(Not run)
```

plot_joint_great_circles
 plot_joint_great_circles

Description

This function loads joint maxima poles, convert them to great circles and plot them on Schmidt stereogram. Data are also saved in working folder.

Usage

```
plot_joint_great_circles(giac_max, file_name)
```

Arguments

giac_max Joint maxima poles returned from plot_joint_poles function
file_name Name of the output data file

Value

A plot with great circles of joint maxima saved in working dir

Examples

```
## Not run:

poles_maxima<-plot_joint_poles(normali_recalc,joint_list_Cpp,val_area,file_name,max_pole,min_area)

azi_dip_maxima<-plot_joint_great_circles(poles_maxima, file_name)
## End(Not run)
```

plot_joint_poles *plot_joint_poles*

Description

This function plots on schmidt stereogram selected joints poles, draws density contour lines and retrieves poles maxima. Selected joints and poles maxima are saved in working folder.

Usage

```
plot_joint_poles(
  normal_from_wild,
  planes_mtx,
  area_ls,
  file_name,
  min_dens,
  plane_area
)
```

Arguments

normal_from_wild the output matrix resulting from wildfire search
planes_mtx the list of joints output from calculate_plane function
area_ls the list of joints area output from calculate_planes_area function
file_name Name of the output data file containing joint poles
min_dens the minimum density pole value to be plotted
plane_area minimum value of joint area to be considered in plot

Value

A Schmidt density plot with maxima values of joints

Examples

```
## Not run:

normali_recalc<-Rcpp_wildfire_search(7, normals[,1:3], neighbours)

joint_list_Cpp<-calculate_joints(mesh3d, normali_recalc)

val_area<-calculate_joints_area(normali_recalc)

file_name<-"my_out_file"

max_pole<-0.3

min_area<-1

poles_maxima<-plot_joint_poles(normali_recalc, joint_list_Cpp, val_area, file_name, max_pole, min_area)
## End(Not run)
```

plot_maxima2mesh *plot_maxima2mesh*

Description

This function plots a coloured mesh facets as great circles plot colours

Usage

```
plot_maxima2mesh(mesh_tr, planes_max, normal_from_wild, tol_ang_fam)
```

Arguments

mesh_tr	an object of type mesh3d
planes_max	the output of plot_joint_great_circles function
normal_from_wild	the output matrix iresulting from wildfire search
tol_ang_fam	a tolerance angle to include joints in the same joint set color

Value

A plot with great circles of joint maxima

Examples

```
## Not run:  
  
azi_dip_maxima<-plot_joint_great_circles(poles_maxima, file_name)  
  
plot_maxima2mesh(mesh3d,azi_dip_maxima,normali_recalc,10)  
  
## End(Not run)
```

rcpparma_dotproduct *returns the inner product of ab and ac*

Description

returns the inner product of ab and ac

Arguments

ab a 3D numeric vector
ac a 3D numeric vector

Value

the dot product of ab and ac

Examples

```
a1<-c(1,2,3)  
a2<-c(3,4,5)  
rcpparma_dotproduct(a1,a2)
```

rcpp_crossProd *returns the outer product of ab and ac*

Description

returns the outer product of ab and ac

Usage

```
rcpp_crossProd(ab, ac)
```

Arguments

ab a 3D numeric vector
ac a 3D numeric vector

Value

the outer product of ab and ac

Examples

```
a1<-c(1,2,3)
a2<-c(3,4,5)
rcpp_crossProd(a1,a2)
```

Rcpp_wildfire_search *returns a matrix with the 3 components of each face normal vector; the 4th column is the ID of the plane each facet belongs to the 5th column the area of each facet*

Description

returns a matrix with the 3 components of each face normal vector; the 4th column is the ID of the plane each facet belongs to the 5th column the area of each facet

Usage

```
Rcpp_wildfire_search(tol_ang, list_of_normals, list_neighbours)
```

Arguments

tol_ang the maximum angle between facets normal belonging to the same plane
list_of_normals the matrix of the components of each facet normal vector
list_neighbours the matrix of facets ID neighbours of each target facet

Value

the IDs of same joint facets given a tol_angle between facets normal and 3Dmesh list_of_normals and list_neighbours

Examples

```
## Not run: neighbours<-find_neighbours_rcpp(indici_tri)
normals<-compute_facets_normal(vertici_tr,indici_tri)
tol_ang<-7
normali_recalc<-Rcpp_wildfire_search(tol_ang,normals[,1:3],neighbours)
## End(Not run)
```

Index

[build_3d_mesh](#), [2](#)

[calculate_joints](#), [3](#)

[calculate_joints_area](#), [4](#)

[compute_facets_normal](#), [5](#)

[compute_plane_area_rcpp](#), [5](#)

[compute_plane_normal](#), [6](#)

[compute_triangle_area_rcpp](#), [7](#)

[find_neighbours_rcpp](#), [9](#)

[find_triangles_rcpp](#), [9](#)

[findNeighbourFacets](#), [8](#)

[JFM \(JFM-package\)](#), [2](#)

[JFM-package](#), [2](#)

[least_square_plane_rcpp](#), [10](#)

[plot_joint_great_circles](#), [11](#)

[plot_joint_poles](#), [12](#)

[plot_maxima2mesh](#), [13](#)

[plotrand_col_planes](#), [11](#)

[rcpp_crossProd](#), [14](#)

[Rcpp_wildfire_search](#), [15](#)

[rcpparma_dotproduct](#), [14](#)